



09/ 806368

cfc

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No. : 7,132,397  
Applicant : Mieko KATSUURA et al  
Issue Date : November 7, 2006

Docket No. : 2923-581  
Customer No. : 06449  
Confirmation No. : 8538

REQUEST FOR CERTIFICATE OF CORRECTION  
OF PATENT AND TRADEMARK OFFICE ERRORS

Director of the United States Patent  
and Trademark Office  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

**Certificate**

JAN 30 2007

**of Correction**

Dear Sir:

Under the provisions of 35 U.S.C. 254, Applicant submits herewith duly completed form PTO 1050 and requests that a certificate of correction be issued in connection with the above-identified patent. All of the errors listed on the attached form occurred on the part of the Patent and Trademark Office.

Respectfully submitted,

By   
Monica Chin Kitts  
Attorney for Applicants  
Registration No. 36,105  
ROTHWELL, FIGG, ERNST & MANBECK, p.c.  
Suite 800, 1425 K Street, N.W.  
Washington, D.C. 20005  
Telephone: (202)783-6040

MCK/cb

JAN 31 2007

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 7,132,397

DATED : November 7, 2006

INVENTOR(S) : Katsuura et al

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 2, line 41, delete "reverse chase HPLC" and insert reverse phase HPLC

Column 3, line 18, delete "chat" and insert that

Column 7, line 6, delete "21<sup>st</sup>" and insert 31<sup>st</sup>

Column 13, line 26, delete "calorimetric" and insert colorimetric

Column 14, line 9, delete "Depending" and insert depending

Column 21, line 65, in Claim 8, delete "MP62" and insert MP52

MAILING ADDRESS OF SENDER:

Rothwell, Figg, Ernst & Manbeck  
1425 K Street, N.W., Suite 800  
Washington, D.C. 20005

PATENT NO. 7,132,397B1

No. of additional copies 1

JAN 31 2007